

1 Identification of the substance/preparation and of the company/undertaking

· Product details

- **Trade name:** ACRYLDINE B
- **Registration number:** Not available
- **Application of the substance / the preparation:** Adhesive For Plastic
- **Manufacturer/Supplier:**
SHINKO PLASTICS CO., LTD.
NO.5-24, MINAMISUNA 1-CHOME KOTO-KU, TOKYO 136-0076 JAPAN
TEL: +81-3-3645-8106
FAX: +81-3-3645-5322
- **Further information obtainable from:** SHINKO PLASTICS CO., LTD.
- **Information in case of emergency:**
Mr. Tomohiro Yamashita
TEL: +81-3-3645-8106
- **Email:** yamashita@shinkopla.co.jp
- **Reference Number:** SCATR1003000897; GZ1003018058/CHEM

2 Hazards identification

· Hazard description:



T Toxic
F Highly flammable
N Dangerous for the environment

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 45 May cause cancer.

R 11 Highly flammable.

R 22 Also harmful if swallowed.

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements:



Danger

H225 - Highly flammable liquid and vapour.



Danger

H350 - May cause cancer.



Warning

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.



H411 - Toxic to aquatic life with long lasting effects.

· Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

Safety Data Sheet

Printing date 15.03.2010

Revision: 15.03.2010

Trade name: ACRYLDINE B

(Contd. of page 1)

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

· **Response:**

P303+P361+P353 **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· **Storage:**

P405 Store locked up.

· **Disposal:**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Important! This product contains substances that are of restricted use under Annex XVII of Regulation(EC) No. 1907/2006. For details, please refer to Section 15 and 16 of this Safety Data Sheet.

3 Composition/information on ingredients

· **Chemical characterization**

· **Description:**

Mixture of the substances listed below with nonhazardous additions.

For the wording of listed risk phrases refer to section 16.

· **Dangerous components:**

CAS: 107-06-2 EINECS: 203-458-1 EU number: 602-012-00-7	1,2-dichloroethane Carc. Cat. 2; ☠ T, ☒ Xi, 🔥 F; R 45-11-22-36/37/38 Danger: ☠ 2.6/2; ☠ 3.6/1B Warning: ⚠ 3.1.O/4, 3.2/2, 3.3/2, 3.8/3	91,8%
CAS: 110-82-7 EINECS: 203-806-2 EU number: 601-017-00-1	cyclohexane ☒ Xn, ☒ Xi, 🔥 F, ☠ N; R 11-38-50/53-65-67 Danger: ☠ 2.6/2; ☠ 3.10/1 Warning: ⚠ 4.1.C/1; ⚠ 3.2/2, 3.8/3	2,8%
· Non-dangerous components:		
9011-14-7	Polymethyl methacrylate	5,4%

· **Remark:**

Polymethyl methacrylate (CAS No.: 9011-14-7)

Synonym: Methyl Methacrylate Polymer

4 First aid measures

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Call for a doctor immediately.

5 Fire-fighting measures

· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Protective equipment:** Wear fully protective suit.

6 Accidental release measures

· **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Safety Data Sheet

Printing date 15.03.2010

Revision: 15.03.2010

Trade name: ACRYLDINE B

(Contd. of page 2)

- **Measures for environmental protection:**
 - Do not allow product to reach sewage system or any water source.
 - Inform respective authorities in case of seepage into water course or sewage system.
 - Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Dispose contaminated material as waste according to item 13.
 - Ensure adequate ventilation.
 - Do not flush with water or aqueous cleansing agents
- **Additional information:** See Section 7 for information on safe handling.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
 - Ensure good ventilation/exhaustion at the workplace.
 - Open and handle receptacle with care.
 - Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
 - Keep respiratory protective device available.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
 - Store away from flammable substances.
 - Store away from foodstuffs.
- **Further information about storage conditions:**
 - Keep container tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

107-06-2 1,2-dichloroethane

PEL (USA)	Short-term value: C 100; 200* ppm Long-term value: 50 ppm *5-min peak in any 3 hrs
REL (USA)	Short-term value: 8 mg/m ³ , 2 ppm Long-term value: 4 mg/m ³ , 1 ppm
TLV (USA)	40 mg/m ³ , 10 ppm

110-82-7 cyclohexane

IOELV (EU)	700 mg/m ³ , 200 ppm
PEL (USA)	1050 mg/m ³ , 300 ppm
REL (USA)	1050 mg/m ³ , 300 ppm
TLV (USA)	344 mg/m ³ , 100 ppm
AGW (Germany)	700 mg/m ³ , 200 ppm 4(II);DFG

- **DNELs:** Not available
- **PNECs:** Not available
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Trade name: ACRYLDINE B

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **General Information**

Form:	Liquid
Colour:	Colourless
Odour:	Solvent Smell

· **Change in condition**

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available

· **Flash point:** Not available

· **Flammability (solid, gaseous):** Not available

· **Ignition temperature:** Not available

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

Lower:	Not available
Upper:	Not available

· **Oxidizing properties** Not available

· **Vapour pressure:** Not available

· **Density:** Not available

(Contd. on page 5)

Safety Data Sheet

Printing date 15.03.2010

Revision: 15.03.2010

Trade name: ACRYLDINE B

(Contd. of page 4)

· Relative density	Not available
· Vapour density	Not available
· Evaporation rate	Not available
· Solubility in / Miscibility with water:	Not available
· pH-value:	Not available
· Segregation coefficient (n-octanol/water):	Not available.
· Viscosity: Dynamic:	Not available.
· Additional information:	Product Nature: Plastic Adhesion Use Only (Acrylic Resin & Acrylic Resin / Polystyrene & Acrylic Resin / Polystyrene & Polystyrene)

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:** Not available
- **Dangerous reactions:** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

107-06-2 1,2-dichloroethane

Oral LD50 670 mg/kg (rat)

Dermal LD50 2800 mg/kg (rat)

110-82-7 cyclohexane

Oral LD50 12705 mg/kg (rat)

- **Primary irritant effect**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant
Carcinogenic.
- **Toxicokinetics, metabolism and distribution:** Not available
- **Acute effects (acute toxicity, irritation and corrosivity):** Not available
- **Repeated dose toxicity:** Not available
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** Not available

12 Ecological information

- **Information about elimination (persistence and degradability):** Not available
- **Behaviour in environmental systems**
- **Mobility and bioaccumulation potential:** Not available
- **Ecotoxicological effects**
- **Aquatic toxicity:** Not available
- **Remark:** Toxic for fish

(Contd. on page 6)

Safety Data Sheet

Printing date 15.03.2010

Revision: 15.03.2010

Trade name: ACRYLDINE B

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**
*Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Toxic for aquatic organisms*
- **PBT assessments:** Not available

13 Disposal considerations

- **Product**
- **Recommendation:**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information· **Land transport ADR/RID (cross-border)**

- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 336
- **UN-Number:** 1992
- **Packaging group:** II
- **Hazard label:** 3+6.1
- **Special marking:** Symbol (fish and tree)
- **Description of goods:** 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHYLENE DICHLORIDE, CYCLOHEXANE)
- **Limited quantities (LQ):** LQ0
- **Transport category:** 2
- **Tunnel restriction code:** D/E

· **Maritime transport IMDG**

- **IMDG Class:** 3
- **UN Number:** 1992
- **Label:** 3+6.1
- **Packaging group:** II
- **EMS Number:** F-E,S-D
- **Marine pollutant:** Yes
- **Proper shipping name:** FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHYLENE DICHLORIDE, CYCLOHEXANE)

(Contd. on page 7)

Safety Data Sheet

Printing date 15.03.2010

Revision: 15.03.2010

Trade name: ACRYLDINE B

(Contd. of page 6)

· Air transport ICAO-TI and IATA-DGR



- ICAO/IATA Class: 3
- UN/ID Number: 1992
- Label: 3+6.1
- Packaging group: II
- Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHYLENE DICHLORIDE, CYCLOHEXANE)

- UN "Model Regulation": UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II
- Environmental hazards: Product contains environmentally hazardous substances: cyclohexane

15 Regulatory information

· Sara

· Section 335(extremely hazardous substances):

None of the ingredients is listed.

· Section 313(specific toxic chemical listings):

107-06-2 1,2-dichloroethane

110-82-7 cyclohexane

· TSCA(Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemical known to cause cancer:

107-06-2 1,2-dichloroethane

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA(Environmental Protection Agency)

107-06-2 1,2-dichloroethane

B2

110-82-7 cyclohexane

I

· IARC(International Agency for Research on Cancer)

107-06-2 1,2-dichloroethane

2B

9011-14-7 Polymethyl methacrylate

3

· NTP(National toxicology Program)

107-06-2 1,2-dichloroethane

R

· TLV(Threshold Limit Value established by ACGIH)

107-06-2 1,2-dichloroethane

A4

· NIOSH-Ca(National Institution for Occupational Safety & Health)

107-06-2 1,2-dichloroethane

· OSHA-Ca(Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

Trade name: ACRYLDINE B

(Contd. of page 7)

· **Labelling according to EU guidelines:**

The product has been classified as dangerous according to REGULATION (EC) No.1272/2008 and REGULATION (EC) No.1907/2006.

· **Code letter and hazard designation of product:**



T Toxic
F Highly flammable
N Dangerous for the environment

· **Hazard-determining components of labelling:**

1,2-dichloroethane

· **Risk phrases:**

45 May cause cancer.
11 Highly flammable.
22 Also harmful if swallowed.
36/37/38 Irritating to eyes, respiratory system and skin.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

53 Avoid exposure - obtain special instructions before use.
1/2 Keep locked up and out of the reach of children.
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

· **National regulations**

· **Other regulations, limitations and prohibitive regulations**

· **REACH Regulation Title VIII Restriction:** CAS No. 110-82-7 cyclohexane

16 Other information

REACH Annex XVII Restricted : Cyclohexane

1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package sizes greater than 350 g.

2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.

3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:

“- This product is not to be used under conditions of poor ventilation.

- This product is not to be used for carpet laying.”.

· **Relevant R-phrases**

11 Highly flammable.
22 Harmful if swallowed.
36/37/38 Irritating to eyes, respiratory system and skin.
38 Irritating to skin.
45 May cause cancer.
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
65 Harmful: may cause lung damage if swallowed.
67 Vapours may cause drowsiness and dizziness.

The contents and format of this MSDS/SDS are in accordance with REGULATION(EC) No. 1272/2008, (EC) No. 1907/2006, EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

(Contd. on page 9)

Safety Data Sheet

Printing date 15.03.2010

Revision: 15.03.2010

Trade name: ACRYLDINE B

(Contd. of page 8)

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

End of document

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EU